



**Jaw Crusher:**

**Jaw Crusher** is used in mining, metallurgy, construction, highway, railway, irrigation and chemical industries, and our jaw crushers have the features of high reduction ratio, even powder sizes, low power consumption and easy maintenance. The crushing strength of the jaw crusher materials is up to 350 Mpa.



Jaw crusher reduces large size rocks or ore by compressing, a fixed jaw, mounted in a “V” alignment is the stationary breaking surface, while the moveable jaw plate exerts force on the rock by compressing it against the fixed jaw plate. The space at bottom of the “V”, aligned jaw plate, is the output size gap, or the maximum size of the crushed product.

Due to the features of simple structure, reliable performance, convenient maintenance and safe use, our jaw crushers of various models are widely used in the crushing operation in metallurgy, mining, building materials, chemical industries and cement enterprises.

**Jaw crusher Technical Data:**

Models	Size of feed	Max. feed	Adjustable range of discharge	crushing	Eccentric shaft	Electric motor power	Weight(t)
--------	--------------	-----------	-------------------------------	----------	-----------------	----------------------	-----------



Shanghai Yuanhua Machinery: E-mail :shyhlq@crusher-mill.com

	opening (mm)	size (mm)	opening (mm)	capaci ty (m3/h)	speed(r/min)	(kw)	
PE- 150*2 50	150*25 0	125	10-40	0.6-3	300	5.5	0.81
PE- 250*4 00	250*40 0	210	20-60	3-13	300	15	2.8
PE- 400*6 00	400*60 0	340	40-100	10-34	275	37	6.5
PE- 500*7 50	500*75 0	425	50-100	20-52	275	55	10.3
PE- 600*9 00	600*90 0	500	65-160	30-75	250	75	15.5
PE- 750*1 060	750*10 60	630	80-140	72- 130	250	90	28
PE- 900* 1200	900*1 200	750	95-165	87- 164	200	160	50
PE- 1000 *120 0	1000* 1200	850	195-265	197- 214	200	160	51
PE- 1200 *150 0	1200* 1500	102 0	150-300	400- 800	180	200	100.9
PEX- 150* 750	150*7 50	120	18-48	5-16	320	15	3.5
PEX-2	250*7	210	25-60	8-22	330	30	4.9



Shanghai Yuanhua Machinery: E-mail :shyh1q@crusher-mill.com

50*7 50	50						
PEX- 250* 1000	250*1 000	210	25-60	10- 32	330	37	6.5
PEX- 250* 1200	250*1 200	210	25-60	13- 38	330	45	7.7
PEX- 300* 1300	300*1 300	250	20-90	10- 65	300	75	11

TEL :0086-021-36040745 0086-021-36040440

FAX:86-21-36041466

Website :www.crusher-mill.com

E-mail :shyh1q@crusher-mill.com